


3.1a CABLE GLAND - DN series




CHARACTERISTICS: For unarmoured cable, outer seal

APPLICATION: For general use, indoors and outdoors


PROTECTION DEGREE: IP66.

**REFERENCE A
DN FOR UNARMOURED CABLE**



- 1 - Body
- 2 - Seal
- 3 - Press-ring
- 4 - Gland nut

→Sample of designation: **DN1.10 M20x1,5**



L=Thread length: see comparison table

SIZE	Thread T	Cable dimensions TYPE	A		Gland dimensions				
			min	max	C mm	D mm	H mm	E mm	F mm
0	3/8"NPT - M16x1,5 - Pg9/11	DN0.7	4	7	11	16	33	24	26
	1/2"NPT - M20x1,5 - Pg13,5	DN0.10	7	10					
1	1/2"NPT - M20x1,5 - Pg13,5 3/4"NPT - M25x1,5 - Pg16	DN1.8	5,5	8	14	20	41	32	35
		DN1.10	8	10,5					
		DN1.13	10,5	13					
2	3/4"NPT - M25x1,5 - Pg16	DN2.13	10,5	13	19	25	41	36	39
		DN2.15	13	15,5					
		DN2.18	15,5	18					
3	1"NPT - M32x1,5 - Pg21	DN3.18	15	18	25	32	52	45	49
		DN3.21	18	21					
		DN3.24	21	24					
4	1"1/4NPT - M40x1,5 - Pg29	DN4.24	21	24	31	38	53	50	55
		DN4.27	24	27					
		DN4.30	27	30					
5	1"1/2NPT - M50x1,5 - Pg36	DN5.27	24	27	37	44	53	57	62
		DN5.30	27	30					
		DN5.33	30	33					
		DN5.36	33	36					
6	2"NPT - M63x1,5 - Pg42	DN6.39	36	39	47	54	53	67	73
		DN6.42	39	42					
		DN6.45	42	45					
7	2"1/2NPT - M75x1,5 - Pg48	DN7.48	45	48	57	65	53	80	88
		DN7.51	48	51					
		DN7.54	51	54					